

1986

ANNUAL REPORT

BEXAR COUNTY MEDICAL EXAMINERS OFFICE

VINCENT J.M. DI MAIO, M.D.
CHIEF MEDICAL EXAMINER
DIRECTOR, CRIME LABORATORY
BEXAR COUNTY
SAN ANTONIO, TEXAS

BEXAR COUNTY MEDICAL EXAMINER'S OFFICE
STAFF-1986

Dr. Vincent J.M. DiMaio	Chief Medical Examiner
Dr. Suzanna E. Dana	Deputy Chief Medical Examiner
Dr. Robert C. Bux	Medical Examiner

Patricia Hitch	Administrator
Rosemarie Mueller	Statistician/Narc. Clerk
Dora Martinez	Medical Secretary
Priscilla Fragoso	Medical Secretary
Karen Munro	Receptionist/Admin. Clerk

Dr. James C. Garriott	Chief Toxicologist
Joe L. Castorena	Assistant Chief Tox.
James E. Bousser	Toxicological Chemist I
Loretta A. Rosales	Toxicological Chemist I
Robert G. Rodriguez	Toxicological Chemist II
Lisa M. Simmons	Toxicological Chemist II
Eileen A. Meyer	Toxicological Chemist II
Marie McQueen	Secretary-Toxicology
Monica Liserio	Glassware Attendant (Part-time)

John Raymond	Autopsy Laboratory Supervisor
Danny Guzman	Diener
Martin Castillo	Diener
Gilbert Escalona	Diener
Manuel Cantu	Histologist (Part-time)

Frank Castillon

Chief Medical
Investigator
Medical Investigator

Don Bias

Medical Investigator

Gary Biggs

Medical Investigator

Joseph A. Rosales

Medical Investigator

Roy Aguilar

Medical Investigator

Frank Tovar, Jr.

Medical Investigator

Eva Hickman

Jane Nellis

Serologist

Richard Stengel

Firearms Examiner

Allen Southmayd

Document Examiner

ANNUAL REPORT 1984-1985-1986
BEXAR COUNTY MEDICAL EXAMINER

	<u>1984</u>	<u>1985</u>	<u>1986</u>
TOTAL NUMBER OF CASES INVESTIGATED.....	3909	4021	3848
JURISDICTION WAIVED.....	2331	2388	2188
CASES ACCEPTED.....	1578	1633	1660
ME CASES BROUGHT INTO OFFICE.....	1530	1596	1606
DEATH CERTIFICATES ONLY.....	<u>48</u>	<u>37</u>	<u>54</u>
TOTAL	1578	1633	1660
AUTOPSIES.....	964	1061	1075
INSPECTIONS.....	566	535	531
DEATH CERTIFICATES ONLY.....	<u>48</u>	<u>37</u>	<u>54</u>
TOTAL	1578	1633	1660
SCENE INVESTIGATIONS.....	355	364	368
CREMATION CERTIFICATES ISSUED.....	496	547	701
STORAGE CASES.....	41	55	65
TOTAL X-RAYS TAKEN.....	--	976	1080

SUMMARY OF MEDICAL EXAMINER CASES

1986

	<u>Total cases</u>	<u>Number Autopsied</u>	<u>Percentage Autopsied (%)</u>
Homicides	294 (17.7%)	291	99%
Suicides	191 (11.5%)	137	72%
Accident	439 (26.5%)	332	76%
Natural	703 (42.3%)	285	41%
Undetermined	32 (1.9%)	29	91%
Unclassified	<u>1</u> (0.1%)	<u>1</u>	<u>100%</u>
TOTAL	1660 100%	1075	65%

1985

Homicides	301 (18.4%)	300	99%
Suicides	163 (10.0%)	122	76%
Accident	419 (25.7%)	344	82%
Natural	719 (44.0%)	267	37%
Undetermined	30 (1.8%)	27	90%
Unclassified	<u>1</u> (0.1%)	<u>1</u>	<u>100%</u>
TOTAL	1633 100%	1061	65%

1984

Homicides	259 (16.4%)	259	100%
Suicides	164 (10.4%)	112	68%
Accident	374 (23.7%)	282	76%
Natural	753 (47.7%)	285	38%
Undetermined	24 (1.5%)	23	96%
Unclassified	<u>4</u> (0.4%)	<u>3</u>	<u>75%</u>
TOTAL	1578 100%	964	61%

MANNER OF DEATH IN "DEATH CERTIFICATE ONLY" CASES *

	<u>1984</u>	<u>1985</u>	<u>1986</u>
Accidents.....	34	26	39
Homicides.....	0	0	3
Naturals.....	13	10	12
Undetermined.....	0	1	0
Unclassified.....	<u>1</u>	<u>0</u>	<u>0</u>
TOTAL	48	37	54

*These are medical examiner cases which were not reported to this office but were only detected when the death certificates were filed with the bureau of vital statistics.

OUT OF COUNTY CASES - FEE-FOR-SERVICE CASES

	<u>OUT-OF-COUNTY</u>	<u>FEE-FOR-SERVICE</u>	<u>TOTAL</u>
<u>1984</u>	88	7	95
<u>1985</u>	110	6	116
<u>1986</u>	100	5	105

<u>MANNER OF DEATH: (OUT-OF-COUNTY)</u>	<u>1985</u>	<u>1986</u>
Homicide.....	45	37
Suicide.....	10	16
Accident.....	26	16
Natural.....	26	26
Undetermined.....	<u>3</u>	<u>5</u>
TOTAL	110	100

HOMICIDES BY METHOD

	<u>1984</u>	<u>1985</u>	<u>1986</u>
Firearms	131 (50.6%)	169 (56.1%)	159 (54.2%)
Knife	60 (23.2%)	60 (20.0%)	59 (20.1%)
Blunt Force	26 (10.0%)	25 (8.3%)	27 (9.3%)
Hit & Run	29 (11.2%)	32 (10.7%)	27 (9.3%)
Burns (Fire, Scalding)	2 (0.7%)	4 (1.3%)	4 (1.4%)
Asphyxia	8 (3.1%)	9 (3.0%)	10 (3.4%)
Undetermined	0	1 (0.3%)	2 (0.3%)
Other**	<u>3 (1.20%)</u>	<u>1 (0.3%)</u>	<u>6 (2.0%)</u>
TOTAL	259 (100%)	301 (100%)	294 (100%)

**In 1984, one was due to a heart attack during a robbery, one fresh water drowning, and one malnutrition and dehydration. In 1985, there was an overdose of insulin. In 1986, two cardiac arrhythmias, two craniocerebral injuries-stab wounds, one craniocerebral injury-asphyxia and one closed head injury-ligature strangulation.

HOMICIDES BY FIREARM: TYPE OF WEAPON

	<u>1984</u>	<u>1985</u>	<u>1986</u>
Handgun	87 (67.0%)	125 (71.0%)	121 (76.0%)
Rifle			
Centerfire	2 (1.5%)	14 (8.5%)	2 (1.3%)
Rimfire	12 (9.0%)	6 (3.4%)	6 (3.8%)
Shotgun	7 (5.0%)	14 (8.0%)	13 (8.2%)
Unknown	<u>23 (17.5%)</u>	<u>16 (9.1%)</u>	<u>17 (10.7%)</u>
TOTAL	131 (100%)	175* (100%)	159 (100%)

*More than one weapon was used in several cases.

CALIBER OF HANDGUNS USED IN HOMICIDE

<u>Caliber</u>	<u>1984</u>	<u>1985</u>	<u>1986</u>
.38/.357	49	43	62
.22	18	36	22
.25	8	21	21
.32	6	14	7
9 mm	2	5	5
.45 ACP	2	1	0
.44	1	0	3
.380 ACP	1	4	6
.41	<u>0</u>	<u>1</u>	<u>0</u>
TOTAL	87	125*	126*

* More than one handgun was used in several cases.

HOMICIDES BY FIREARM: PLACE OF DEATH

	<u>1984</u>	<u>1985</u>	<u>1986</u>
Residence	45	67	65
Street/Sidewalk	26	23	21
Bar/Lounge	8	17	15
Parking Lot	8	12	20
Building	10	9	9
(Rural area) Field	7	17	11
Inside Vehicle	11	18	17
Unknown	<u>16</u>	<u>6</u>	<u>1</u>
TOTAL	131	169	159

VICTIMS OF HOMICIDES

<u>AGE (Yrs)</u>	<u>Number of Cases</u>				<u>NO. OF CASES</u>		
	<u>1984</u>	<u>1985</u>	<u>1986</u>		<u>1984</u>	<u>1985</u>	<u>1986</u>
1	0	2	4				
1	4	5	2				
2 - 5	1	6	4				
6 - 10	0	2	1	Male	214	241	237
11 - 15	6	7	5	Female	45	60	57
16 - 19	25	33	20	TOTAL	259	301	294
20's	86	101	115				
30's	69	78	63				
40's	30	35	39				
50's	20	18	19	White	225	266	256
60's	7	5	10	Negro	33	34	38
70's	2	6	6	Oriental	1	1	0
80's	0	1	4	TOTAL	259	301	294
90's	0	1	0				
UNKNOWN	<u>9</u>	<u>1</u>	<u>2</u>				
TOTAL	259	301	294				

BLOOD ALCOHOL CONCENTRATIONS OF HOMICIDE VICTIMS

<u>Blood Alcohol (g/dl)</u>	<u>Number of Cases</u>		
	<u>1984</u>	<u>1985</u>	<u>1986</u>
Negative	76	84	109
.01-.049	28	47	31
.05-.099	27	20	29
.10-.149	32	26	34
.15-.199	39	39	33
.20-.249	27	32	24
.25-.299	15	8	13
.30 & up	<u>6</u>	<u>7</u>	<u>5</u>
TOTAL	250	263	278

NO. AND PERCENTAGE OF INDIVIDUALS LEGALLY INTOXICATED

(0.10 g/dl or greater)

1984.....119 (45.9%)
1985.....112 (42.6%)
1986.....109 (39.2%)

SUICIDES BY METHOD

	<u>1984</u>	<u>1985</u>	<u>1986</u>
Firearm	96	95	117
Firearm and hanging	1	0	0
Drugs/Chemicals	19	21	23
Hanging	30	22	34
Carbon Monoxide	8	12	10
Jumping	1	0	1
Jumped in front of vehicle	1	2	0
Fire	0	3	0
Plastic bag over head	0	0	0
Train	2	1	0
Knife	3	4	2
Drowning	2	1	1
Electrocution	1	0	0
Asphyxia	0	2	2
Explosion	<u>0</u>	<u>0</u>	<u>1</u>
TOTAL	164	163	191

SUICIDES BY FIREARM: TYPE OF WEAPON

	<u>1984</u>	<u>1985</u>	<u>1986</u>
Handgun	80	63	88
Rifle			
Centerfire	1	8	5
Rimfire	7	9	11
Shotgun	9	15	13
Derringer	0	1	0
Unknown	<u>0</u>	<u>0</u>	<u>0</u>
TOTAL	97	96*	117

*One person used two weapons, a shotgun and a handgun.

CALIBER OF HANDGUNS USED IN SUICIDES

<u>Caliber</u>	<u>Number of cases</u>		
	<u>1984</u>	<u>1985</u>	<u>1986</u>
.38/.357	35	30	34
.22	20	17	28
.32	7	5	7
.25	10	8	9
.44	0	2	1
.45	4	0	2
9mm	4	0	2
.380ACP	0	1	3
Unknown	<u>0</u>	<u>0</u>	<u>2</u>
TOTAL	80	63	88

SUICIDES: (GUNSHOT WOUND CASES)

<u>PLACE OF DEATH</u>	<u>1984</u>	<u>1985</u>	<u>1986</u>
Residence	77	82	96
Inside vehicle	9	7	7
Parking lot	3	1	1
Rural area (field)	7	4	8
Street	0	0	2
Other	<u>1</u>	<u>1</u>	<u>3</u>
TOTAL	97	95	117

SUICIDES

Month of Occurrence

	<u>1984</u>	<u>1985</u>	<u>1986</u>		<u>1984</u>	<u>1985</u>	<u>1986</u>
JAN	16	10	15	JUL	17	19	13
FEB	8	15	14	AUG	11	12	19
MAR	14	12	16	SEP	11	11	15
APR	17	12	11	OCT	16	12	9
MAY	19	14	21	NOV	6	12	21
JUN	17	17	19	DEC	12	17	18

Cases

<u>AGE</u>	<u>1984</u>	<u>1985</u>	<u>1986</u>		<u>1984</u>	<u>1985</u>	<u>1986</u>
15	1	0	2				
15-19	18	8	13	White	156	161	179
20's	44	49	56	Negro	8	1	10
30's	31	36	39	Oriental	<u>0</u>	<u>1</u>	<u>2</u>
40's	19	22	19	TOTAL	164	163	191
50's	18	13	23				
60's	20	17	21				
70's	8	14	14				
80's	2	4	4	Male	121	127	141
90's	<u>3</u>	<u>0</u>	<u>0</u>	Female	<u>43</u>	<u>36</u>	<u>50</u>
TOTAL	164	163	191	TOTAL	164	163	191

TEENAGE SUICIDES

Number of Cases

	<u>1984</u>	<u>1985</u>	<u>1986</u>
Firearms	9	5	9
Hanging	7	3	4
Drugs	2	0	2
Drowning	<u>1</u>	<u>0</u>	<u>0</u>
TOTAL	19	8	15

	<u>1984</u>	<u>1985</u>	<u>1986</u>
White	17	8	13
Negro	2	0	2
Oriental	<u>0</u>	<u>0</u>	<u>0</u>
TOTAL	19	8	15

	<u>1984</u>	<u>1985</u>	<u>1986</u>
Male	16	8	11
Female	<u>3</u>	<u>0</u>	<u>4</u>
TOTAL	19	8	15

CHILD HOMICIDES: 0-5 YEARS OF AGE

	<u>W/M</u>	<u>W/F</u>	<u>N/M</u>	<u>N/F</u>	<u>TOTAL</u>
<u>1984</u>	1	1	1	2	5
<u>1985</u>	9	4	0	0	13
<u>1986</u>	7	1	1	1	10

CAUSE OF DEATH - CHILD HOMICIDES

	<u>1984</u>	<u>1985</u>	<u>1986</u>
Craniocerebral injuries	0	1	0
Multiple injuries	0	2	0
Blunt Force	2	5	5
Scalding	0	2	1
Stab wound	0	1	1
Asphyxia	2	1	2
Gunshot wound(s)	1	1	0
Hit and run	<u>0</u>	<u>0</u>	<u>1</u>
TOTAL	5	13	10

SUDDEN INFANT DEATH SYNDROME

	<u>1984</u>	<u>1985</u>	<u>1986</u>		<u>1984</u>	<u>1985</u>	<u>1986</u>
WHITE	32	23	24	MALE	26	16	20
NEGRO	<u>4</u>	<u>2</u>	<u>2</u>	FEMALE	<u>10</u>	<u>9</u>	<u>6</u>
TOTAL	36	25	26	TOTAL	36	25	26

MOTOR VEHICLE FATALITIES IN BEXAR COUNTY - 1985-1986

MOTOR VEHICLE DRIVERS

	<u>1985</u>	<u>1986</u>
AT FAULT	66	52
NOT AT FAULT	<u>26</u>	<u>21</u>
TOTAL	92	73

MOTOR VEHICLE DRIVERS AT FAULT

	<u>1985</u>	<u>1986</u>
TOTAL CASES	66	52
TOTAL TESTED	63	50
NEGATIVE FOR ALCOHOL	17 (26.9%)	10 (21.6%)
POSITIVE FOR ALCOHOL	33 (52.4%)	33 (64.7%)
DRUGS ONLY	3 (4.8%)	2 (3.9%)
DRUGS AND ALCOHOL	<u>10 (15.9%)</u>	<u>5 (9.8%)</u>
TOTAL	63 (100%)	50 (100%)

DRIVERS AT FAULT (ALCOHOL LEVEL)

	<u>1985</u>	<u>1986</u>
LESS THAN .05 MEAN ALCOHOL	3	6
.05-.009 MEAN ALCOHOL	3	4
.10-.199 MEAN ALCOHOL	15	16
.20-.299 MEAN ALCOHOL	20	8
.30 & UP MEAN ALCOHOL	<u>2</u>	<u>4</u>
TOTAL	43	38

SEATBELTS:

	<u>1985</u>	<u>1986</u>		<u>1985</u>	<u>1986</u>
Male	50	39	Yes	4	8
Female	<u>16</u>	<u>13</u>	No	53	39
			Unknown	<u>9</u>	<u>5</u>
TOTAL	66	52	TOTAL	66	52

MOTOR VEHICLE DRIVERS NOT AT FAULT

	<u>1985</u>	<u>1986</u>
TOTAL CASES	26	21
TOTAL TESTED	25	21
NEGATIVE FOR ALCOHOL	10 (40%)	12 (57.2%)
POSITIVE FOR ALCOHOL	6 (24%)	4 (19.0%)
DRUGS ONLY	4 (16%)	2 (9.5%)
DRUGS AND ALCOHOLS	<u>5 (20%)</u>	<u>3 (14.3%)</u>
TOTAL	25 (100%)	21 (100%)

MOTOR VEHICLE DRIVERS NOT AT FAULT (ALCOHOL LEVEL)

	<u>1985</u>	<u>1986</u>
LESS THAN .05 MEAN ALCOHOL	6	4
.05-.099	0	0
.05-.199	4	2
.10-.299	1	1
.30 & UP	<u>0</u>	<u>0</u>
TOTAL	11	7

SEATBELTS:

	<u>1985</u>	<u>1986</u>		<u>1985</u>	<u>1986</u>
Male	18	14	Yes	3	6
Female	<u>8</u>	<u>7</u>	No	19	10
TOTAL	26	21	Unknown	<u>4</u>	<u>5</u>
			TOTAL	26	21

MOTORCYCLE DRIVERS

	<u>1985</u>	<u>1986</u>
AT FAULT	17	14
NOT AT FAULT	<u>5</u>	<u>8</u>
TOTAL	22	22

MOTORCYCLE DRIVERS AT FAULT

	<u>1985</u>	<u>1986</u>
TOTAL CASES	17	14
TOTAL TESTED	15	14
NEGATIVE FOR ALCOHOL	4 (26.7%)	3 (21.4%)
POSITIVE FOR ALCOHOL	7 (46.7%)	8 (57.2%)
DRUGS ONLY	1 (6.6%)	1 (7.1%)
DRUGS AND ALCOHOL	<u>3 (20.0%)</u>	<u>2 (14.3%)</u>
TOTAL	15 (100%)	14 (100%)

MOTORCYCLE DRIVERS AT FAULT (ALCOHOL LEVEL)

	<u>1985</u>	<u>1986</u>
LESS THAN .05 MEAN ALCOHOL	1	3
.05-.099	0	1
.10-.199	5	4
.20-299	3	2
.30 & UP	<u>1</u>	<u>0</u>
TOTAL	10	10

HELMETS:

	<u>1985</u>	<u>1986</u>		<u>1985</u>	<u>1986</u>
Male	17	14	Yes	6	4
Female	<u>0</u>	<u>0</u>	No	11	10
			Unknown	<u>0</u>	<u>0</u>
TOTAL	17	14	TOTAL	17	14

MOTORCYCLE DRIVERS NOT AT FAULT

	<u>1985</u>	<u>1986</u>
TOTAL CASES	5	8
TOTAL TESTED	4	8
NEGATIVE FOR ALCOHOL	1 (25%)	3 (37.5%)
POSITIVE FOR ALCOHOL	2 (50%)	4 (50.0%)
DRUGS ONLY	0 (0%)	0 (0%)
DRUGS AND ALCOHOL	<u>1 (25%)</u>	<u>1 (12.5%)</u>
TOTAL	4 (100%)	8 (100%)

MOTORCYCLE DRIVERS NOT AT FAULT (ALCOHOL LEVEL)

	<u>1985</u>	<u>1986</u>
LESS THAN .05 MEAN ALCOHOL	2	1
.05-.099	0	1
.10-.199	1	3
.20-.299	0	0
.30 & UP	<u>0</u>	<u>0</u>
TOTAL	3	5

HELMETS:

	<u>1985</u>	<u>1986</u>		<u>1985</u>	<u>1986</u>
Male	5	8	Yes	2	2
Female	<u>0</u>	<u>0</u>	No	3	6
			Unknown	<u>0</u>	<u>0</u>
TOTAL	5	8	TOTAL	5	8

BICYCLISTS

	<u>1985</u>	<u>1986</u>
TOTAL	5	5
ALCOHOL LEVEL 0.10 OR GREATER	1	1

<u>1985</u>	<u>1986</u>
(2 UNDER 16 YEARS OLD)	(1 UNDER 16 YEARS OLD)

	<u>1985</u>	<u>1986</u>
MALE	5	5
FEMALE	<u>0</u>	<u>0</u>
TOTAL	5	5

PASSENGERS IN MOTOR VEHICLE

	<u>1985</u>	<u>1986</u>
TOTAL	49	52
ALCOHOL LEVEL 0.10 OR GREATER	13	17

<u>1985</u>	<u>1986</u>
(10 UNDER 16 YEARS OLD)	(8 UNDER 16 YEARS OLD)

	<u>1985</u>	<u>1986</u>
MALE	29	27
FEMALE	<u>20</u>	<u>25</u>
TOTAL	49	52

PEDESTIANS

	<u>1985</u>	<u>1986</u>
TOTAL	43	48
MALE	31	40
FEMALE	<u>12</u>	<u>8</u>
TOTAL	43	48

	<u>HIT-AND-RUN</u>		<u>NON HIT-AND-RUN</u>	
	<u>1985</u>	<u>1986</u>	<u>1985</u>	<u>1986</u>
NO ANALYSIS PERFORMED	2	1	0	4
NEGATIVE	4	4	15	14
LESS THAN .05	1	1	2	3
.05-.099	1	2	1	1
.10-.199	3	2	5	7
.20-.299	0	3	4	3
.30 & UP	<u>3</u>	<u>1</u>	<u>2</u>	<u>2</u>
TOTAL	14	14	29	34

<u>AGE</u>	<u>1985</u>	<u>1986</u>
0-5	3	1
6-10	2	3
11-15	3	5
16-19	4	5
20's	9	13
30's	9	1
40's	4	8
50's	4	4
60's	2	3
70's	1	3
80's	2	1
Unknown	<u>0</u>	<u>1</u>
TOTAL	43	48

DEATHS DUE TO DRUGS/TOXIC SUBSTANCES

	<u>1984</u>	<u>1985</u>	<u>1986</u>
HEROIN	7	15	44
NARCOTICS (Other than heroin)	1	2	0
TRICYCLIC Antidepressants	6	13	8
PROPOXYPENE	2	2	2
MIXED DRUGS	7	9	15
BARBITURATES	1	3	4
COCAINE	0	1	3
ETHYL ALCOHOL	2	2	2
CO	9	14	11
OTHER	<u>13</u>	<u>12</u>	<u>6</u>
TOTAL	48	73	95

CRIME LABORATORY

<u>FIREARMS</u>	<u>1985</u>	<u>1986</u>
TEST FIRES.....	1464	1525
COMPARISONS.....	206	197
SERIAL NUMBER RESTORATIONS.....	45	48

QUESTIONED DOCUMENTS*

TOTAL CASES.....	113	179
EXHIBITS EXAMINED.....	2134	6405

*This section began functioning April 19, 1985.

SEROLOGY

TOTAL CASES.....	1002	1260
TOTAL ITEMS.....	2972	3906
TOTAL TESTS.....	12,138	12,709

SEIZED DRUGS IDENTIFICATION

TOTAL CASES.....	2353	3246
TOTAL TESTS.....	4356	4858
TOTAL DRUGS DESTROYED.....	4048	2687

MEDICAL EXAMINER TOXICOLOGY WORKLOAD

	<u>CASES</u>	<u>TESTS</u>
<u>1984</u>	1519	7898
<u>1985</u>	1553	8339
<u>1986</u>	1593	8155

INSTRUMENTAL BREAKDOWN OF TESTS

	<u>GC/MS</u>	<u>GC</u>	<u>TLC</u>	<u>UV</u>	<u>FAA</u>	<u>OTHER</u>
<u>1984</u>	1131	3257	2601	111	200	598
<u>1985</u>	1216	3497	2860	119	225	422
<u>1986</u>	1292	3316	2686	104	254	403

SPECIFIC TOXICOLOGY TESTS PERFORMED

	<u>1984</u>	<u>1985</u>	<u>1986</u>
Alcohols	1952	2063	1978
Basic Drug Screen	1685	1824	1768
Acid Drug Screen	1351	1423	1456
Neutral Drug Screen	1342	1429	1339
Narcotic Screen	481	306	377
CO	125	119	104
SMA6	160	162	93
Volatiles	55	32	32
THC	248	360	344
Blood Typing	229	217	203
Cultures	29	7	9
GS/Residue	200	218	252
Other	41	58	100

BUDGET

FISCAL YEAR

<u>1985</u>	\$1,047,978
<u>1986</u>	\$1,184,283
<u>1987</u>	\$1,147,938

INCOME OF OFFICE

YEAR

<u>1984</u>	\$128,214
<u>1985</u>	\$208,421
<u>1986</u>	\$262,932